

ACR 937

Tradewater – Thailand 6

February 13, 2023

Tradewater LLC



Tradewater

Table of Contents

A.	PROJECT OVERVIEW	1
A1.	PROJECT TITLE	1
A2.	PROJECT TYPE.....	1
A3.	NON-TECHNICAL EXECUTIVE SUMMARY OF PROJECT	1
A4.	PROJECT ACTION	2
A5.	PROOF OF PROJECT ELIGIBILITY.....	2
A6.	PROJECT LOCATION.....	7
A7.	REGULATORY COMPLIANCE	8
A8.	PARTIES	9
A9.	AGGREGATION AND PROGRAMMATIC DEVELOPMENT APPROACH	10
B.	METHODOLOGY	11
B1.	APPROVED METHODOLOGY	11
B2.	METHODOLOGY JUSTIFICATION	11
B3.	PROJECT BOUNDARIES	11
B4.	IDENTIFICATION OF GHG SOURCES, SINKS, AND RESERVOIRS.....	12
B5.	BASELINE SCENARIO.....	12
B6.	WITH-PROJECT SCENARIO	13
B7.	GHG EMISSION REDUCTIONS AND REMOVALS	13
B8.	PERMANENCE.....	14
C.	ADDITIONALITY.....	15
C1.	BASELINE	15
C2.	PERFORMANCE STANDARD	15
C3.	REGULATORY SURPLUS TEST	15
C4.	COMMON PRACTICE TEST	16
C5.	IMPLEMENTATION BARRIERS TEST.....	16
D.	GHG MONITORING PLAN.....	17
D1.	MONITORED DATA AND PARAMETERS	17
E.	GHG QUANTIFICATION	19
E1.	BASELINE SCENARIO	19

E2. AFOLU PROJECT INVENTORY 19

E3. WITH-PROJECT SCENARIO 19

E4. LEAKAGE 20

E5. UNCERTAINTY 20

E6. QUALITY ASSURANCE AND QUALITY CONTROL (QA/QC) 21

E7. GHG EMISSION REDUCTIONS AND REMOVALS 21

E8. *EX ANTE* CARBON CREDIT PROJECTION 22

F. ENVIRONMENTAL AND SOCIAL IMPACTS 23

 F1. ENVIRONMENTAL AND SOCIAL IMPACT SUMMARY 23

 F2. SUSTAINABLE DEVELOPMENT GOALS 23

 F3. STAKEHOLDER COMMENTS AND CONSULTATION 23

G. OWNERSHIP AND TITLE 25

 G1. PROOF OF TITLE 25

 G2. CHAIN OF CUSTODY 25

 G3. PRIOR APPLICATION 25

H. PROJECT TIMELINE 26

 H1. START DATE 26

 H2. PROJECT TIMELINE 26

A. PROJECT OVERVIEW

A1. PROJECT TITLE

Tradewater – Thailand 6 (hereinafter referred to as “Project”).

A2. PROJECT TYPE

Ozone Depleting Substances

A3. NON-TECHNICAL EXECUTIVE SUMMARY OF PROJECT

Description of project activity

The project activity is the destruction of eligible ODS refrigerant, specifically CFC-12, which derives from a government stockpile in the custody of Thailand’s Customs Department on or before 2007. The Thai government had no mandate to destroy or convert this material but also had no access to funding to dispose of the ODS refrigerant.

The Customs Department transferred ownership of the material to WMS and established WMS as the party responsible for transporting the refrigerant from the Customs Department facilities to the WMS warehouse for consolidation and later disposal. Upon receipt of the material at the WMS warehouse, WMS transferred ownership of the cylinders, including ownership of any carbon offset credits that result from destruction, to Tradewater. Tradewater’s role is to provide financial and logistical support to ensure the material is destroyed following all the Montreal Protocol and ACR requirements.

Under business-as-usual, the ODS refrigerant would remain in storage, as the Customs Department did not have the means to dispose of the material. The stored refrigerant, which is contained in disposable cylinders, will gradually vent over time, through corrosion and deterioration. The risk of venting is mitigated by destruction at WMS, a destruction facility that meets the Montreal Protocol’s TEAP standards provided in the *Report of the Task Force on Destruction Technologies*.

Background information

Refrigerants such as CFC-12 were historically used for industrial refrigeration and in air conditioners for automobiles and trucks since the 1930s. CFC-12 was fully banned from production under the Montreal Protocol in 2010 because of their adverse impacts on the ozone layer. Although production was banned by the Montreal Protocol, their continued usage was not.

In Thailand, ODS material was stockpiled by the Government, through the Customs Department, over many years, in and before 2007. These stockpiles of virgin CFC-12 require an end-of-life solution, one of which is destruction. However, there is currently no law, rule or regulation requiring the destruction of ODS while in Customs’ custody, and no financial or logistical infrastructure to ensure the material is

destroyed safely and consistent with the requirements of the Montreal Protocol. As a result, the ODS material in Thailand risks continual release into the atmosphere overtime because it simply remains in stockpiles with no future use.

Project Purpose and Objectives

The purpose of this project is to offset the emissions that would have been released by the stockpiled ODS refrigerants. These refrigerants have no future use, and therefore will eventually be fully leaked.

A4. PROJECT ACTION

Description of Prior Physical Conditions

In the business-as-usual scenario, ODS refrigerants are stockpiled and stored in various parts of the country in disposable containers that are not designed to store refrigerant for extended periods of time. Under this scenario, ODS refrigerant will leak into the atmosphere, because the containers in which they are held degrade overtime or slowly leak.

Description of how the Project will Achieve GHG Reductions

This project achieves emission reductions through the destruction of ODS refrigerant, instead of holding it in containers at risk of eventual leakage or release. This Project measures the amount of assumed emissions if the ODS were vented under business-as-usual scenario against the emissions prevented by the destruction of the same material. Plainly, destruction yields significantly lower net emissions than the business-as-usual scenario.

Description of Project Technologies, Products, Services, and Expected Level of Activity

After the ODS refrigerant stockpiles were transferred to Tradewater's ownership, the disposable cylinders were counted, weighed, and consolidated into an ISO tank at the WMS warehouse located in Samutprakarn, Thailand, and from there, the ISO tank was transported to the WMS destruction facility and destroyed. The ODS refrigerant is destroyed in a fluidized bed incinerator, which utilizes a bed of hot granular material to transfer heat directly to the ODS feed.

As part of the monitoring activities, the destruction facility monitors and registers the relevant parameters in their CEMs data system in real time and then records these parameters every hour. Pressure and flow rate are monitored continuously on a separate stage of the furnace for gaseous substances such as ODS and collected every half hour.

The samples were taken by trained WMS technicians at the WMS warehouse, where the inventory and filling also took place. Destruction took place at the main WMS facility. The sample was sent to a third-party qualified laboratory for analysis.

A5. PROOF OF PROJECT ELIGIBILITY

The Project is eligible under the "Methodology for the Quantification, Monitoring, Reporting and Verification of Greenhouse Gas Emissions Reductions and Removals from the Destruction of Ozone

Depleting Substances from International Sources, Version 1.0.” Additional eligibility requirements as noted in the ACR Standard, Version 8.0, are included below.

Table 1: Eligibility Requirement from the Methodology, sections 2.2.1 and 3.

Criterion	Requirement	Proof of Project Eligibility
ODS Material	Only the destruction of eligible ODS refrigerants CFC-11, CFC-12, CFC-13, CFC-113, CFC-114 and CFC-115 are eligible under this Methodology.	The only ODS included for crediting are eligible refrigerants.
Stockpile Limitation	Any refrigerants obtained from a government stockpile or inventory are eligible only if they are not required to be destroyed or converted.	The refrigerants in this project originate from a government stockpile that is not required to be destroyed or converted.
Location	Project located outside of the United States and its territories.	Destruction occurred at WMS (BPEC), Samutprakarn, Thailand.
Additionality	Eligible offsets must be generated by projects that yield additional GHG reductions that exceed any GHG reductions otherwise required by law or regulation or any GHG reductions that would otherwise occur in a conservative business-as-usual.	There is no mandate for the destruction of ODS CFC refrigerant under Customs Supervision in the country of origin (Thailand). In the absence of this project, the ODS refrigerant would have been vented or leaked into the atmosphere under business-as-usual scenarios. The project sources meet all other requirements of the Methodology.
Start Date	Project start date is defined as the date on which the earliest destruction activity of a project commences, documented on a Certificate of Destruction.	The project start date and destruction commencement date are the same date as documented on the included Certificate of Destruction (Appendix E).
Reporting Periods	Reporting period must not exceed 12 consecutive months. Project reporting period begins on the project start date.	Project reporting period begins on the project start date and does not exceed 12 months. This reporting period corresponds to October 4, 2023 to November 15, 2023.
Crediting Periods	Project crediting period is ten years and begins on the project start date.	Project crediting period begins on the project start date and will be ten years. The crediting period corresponds to October 4, 2023 to October 3, 2033.
Regulatory Compliance	Projects must maintain material regulatory compliance. To do this, a regulatory body/bodies must deem that a project is not out of compliance at any point during a reporting period.	This project maintains regulatory compliance through the entirety of the reporting period.

Table 2: Applicability Requirements from ACR Standard version 8.0, chapter 3 (not already covered in the Methodology).

Criterion	Requirement	Proof of Project Eligibility
Minimum Project Term	The duration of the Minimum Project Term for specific project types is defined in the relevant ACR sector requirements and/or methodology. Project types with no risk of reversal after crediting have no required Minimum Project Term.	There is no risk of reversal for this project, so the minimum project term is not applicable.
Real	ERTs shall only be issued for a GHG emission reduction or removal that has been verified against an approved ACR Methodology to have already occurred. ACR will not credit a projected stream of credits on an ex-ante basis.	The GHG reductions occurred after the ODS was destroyed, and prior to the verification process and credit issuance.
Title	The Project Proponent shall provide documentation and attestation of undisputed title to all carbon credits prior to registration. Title to credits shall be clear, unique, and uncontested. ACR will issue ERTs into the associated Project Developer Account on ACR only if there is clear, unencumbered, and uncontested title	Tradewater has provided documentation of undisputed title to all offsets. Title to offsets is clear, unique, and uncontested. No offsets have been sold in the past.
Additional	Every project shall use either an ACR-approved performance standard and pass a regulatory surplus test, as detailed in the Methodology, or pass a three-pronged test of additionality in which the project must: <ol style="list-style-type: none"> 1. Exceed regulatory/legal requirements; 2. Go beyond common practice; and 3. Overcome at least one of three implementation barriers: institutional, financial, or technical. 	The Project fulfills the performance standard set in the Methodology and passes a regulatory surplus test, ensuring that the GHG emission reductions are additional of those that would have occurred in the advance of the Project Activity and under a business-as-usual scenario.

<p>Permanent</p>	<p>For GHG projects with a risk of reversal of GHG emission reductions or removals, Project Proponents shall analyze and mitigate risk, and monitor, report, and compensate for reversals.</p>	<p>There is no risk of reversal of GHG removal enhancements for this project type.</p>
<p>Net of Leakage</p>	<p>ACR requires Project Proponents to address, account for and mitigate certain types of leakage, according to the relevant sector requirements and methodology conditions. Project Proponents must deduct for leakage that reduces the GHG emission reduction and/or removal benefit of a GHG project in excess of any applicable threshold specified in the methodology</p>	<p>Leakage is not applicable to this project type.</p>
<p>Independently Validated</p>	<p>ACR requires third-party validation of the GHG Project Plan by an accredited, ACR-approved VVB once during each Crediting Period and prior to issuance of ERTs. Validation can be conducted at the same time and by the same VVB as a full verification; however, the deadline for validation is determined by the methodology being implemented and the project Start Date. Governing documents for validation are the ACR Standard, including sector-specific requirements, the relevant methodology, and the ACR Validation and Verification Standard. The Project Proponent must comply with all reasonable requests for documentation and data to enable required validation activities.</p>	<p>This project is validated and verified by a third-party ACR-approved VVB in accordance with the ACR standard.</p>
<p>Independently Verified</p>	<p>Verification must be conducted by an accredited, ACR-approved VVB prior to any issuance of ERTs for a given Reporting Period and must be conducted at minimum specified intervals. ACR requires verifiers to provide a reasonable, not limited, level of assurance that the GHG statement is without material discrepancy. ACR's materiality threshold is $\pm 5\%$. The Project Proponent must comply with all reasonable requests for documentation and data to enable required verification activities</p>	<p>This project is validated and verified by a third-party ACR-approved VVB in accordance with the ACR standard.</p>

<p>Community and Environmental Impacts</p>	<p>ACR requires that all GHG projects develop and disclose an impact assessment to ensure compliance with environmental and social safeguards best practices. GHG projects must “do no harm” in terms of violating local, national, or international laws or regulations. Project Proponents must identify in the GHG Project Plan environmental and social impacts of their project(s). Project Proponents shall also disclose and describe positive contributions as aligned with applicable Sustainable Development Goals. Project Proponents must describe the safeguard measures in place to avoid, mitigate, or compensate for potential negative impacts, and how such measures will be monitored, managed, and enforced. Chapter 8 contains ACR’s requirements regarding the assessment, monitoring, and reporting of environmental and social impacts.</p>	<p>The Project maintains a net positive impact, as the quantified amount of GHG emissions has been eliminated and serves as an effort against climate change.</p> <p>Upon careful examination, no negative impacts from the project have been identified. Destruction of ODS refrigerant is highly monitored by the destruction facility, and destruction occurred within all applicable regulatory limits for emissions and local environmental impact.</p> <p>The positive contributions aligned with applicable Sustainable Development Goals are described in the document “ACR937_SDGContribution_v1.0.pdf”</p> <p>Safeguards measures in place to avoid, mitigate, or compensate for potential negative impacts are described in document “ACR937_EnvironmentalAssessment_v1.0.pdf”</p>
--	---	---

Eligibility of destruction facility

WMS exceeds TEAP requirements, based on the results of the Report of the Incineration test of Fluorocarbon. Although not an RCRA facility, WMS exceeds the TEAP requirements which are formally required for RCRA facilities. TEAP criteria includes the following:

- DRE of 99.99% or greater.
- Emissions limitations as described in the chart below.
- Technical capability through demonstrated destruction of a refractory chlorinated organic compound or ODS itself, at a rate no lower than 1.0kg/hr.

Performance Qualification	Units	Concentrated Sources (ODS)
DRE	%	99.99
PCDDs/PCDFs	ng-ITEQ/Nm ³	0.2
HCl/Cl ₂	mg/Nm ³	100
HF	mg/Nm ³	5
HBr/Br ₂	mg/Nm ³	5
Particulates	mg/Nm ³	50
CO	mg/Nm ³	100

As described in the Report of the Incineration test of Fluorocarbons, the DRE result for WMS is 99.99% efficiency. Therefore, the facility exceeds the TEAP requirement.

The emissions results from testing, taking the highest value during the reading, are as follows:

Performance Qualification	Limit (Concentrated)	Emissions at 7% O ₂	Emissions at 11% O ₂
PCDDs/PCDFs	0.2 ng-ITEQ/Nm ³	0.25 ng-ITEQ/Nm ³	0.18 ng-ITEQ/Nm ³
HCl/Cl ₂	100 mg/Nm ³	0.68 mg/Nm ³	0.49 mg/Nm ³
HF	5 mg/Nm ³	0.192 mg/Nm ³	0.14 mg/Nm ³
HBr/Br ₂	5 mg/Nm ³	<0.001 mg/Nm ³	<0.001 mg/Nm ³
Particulates	50 mg/Nm ³	1.12 mg/Nm ³	0.80 mg/Nm ³
CO	100 mg/Nm ³	0.1 mg/Nm ³	0.07 mg/Nm ³

As a note, when adjusting the PCDDs/PCDFs to the standard measurements (11% O₂), the results is 0.18 TEQ/Nm³, which is below the limit in the TEAP report. Therefore, WMS exceeds the TEAP requirements on all emissions. Finally, a flow rate of 25 kg/hr. was achieved. As such, WMS has demonstrated that the last piece of the TEAP requirement is also complied with.

A6. PROJECT LOCATION


The project location is Thailand, in that all ODS material is acquired, collected, and destroyed in Thailand. Waste Management Siam LTD (WMS) had original custody of the ODS material, which was acquired from the Thai Customs Department, and WMS is also the location of the consolidation activities. The material was destroyed at a WMS facility, located in the Samutprakarn province, in Bangpoo Environmental Complex Col. Ltd (BPEC). WMS transferred ownership of the ODS material to Tradewater, including its environmental attributes.

The address and GPS coordinates for the WMS destruction facility are:

965 Moo 2 Soi 3B Bangpoo Industrial Estate, Sukhumvit Rd Bangpoo Mai, Muang Samutprakarn, Samutprakarn, 10280 Thailand

Latitude: 13.537435

Longitude: 100.655553



A7. REGULATORY COMPLIANCE

Waste Management Siam (WMS) is under the supervision of the Industrial Estate Authority of Thailand, which require that the company presents a Monitoring Report annually addressing all aspects of environmental care, health and safety and other operational parameters considered a requirement for the operation of the facility. This report is generated by a third party, not related to WMS. WMS

submits an operation report to IEAT on monthly basis and there is no issue for IEAT to audit. IEAT establish 3 parties committee for EIA monitoring and audit factory with EIAT, who further distribute to related government agency for example Provincial Office of Natural Resources and Environmental, Provincial office Public health, local authority, etc.

The ODS refrigerant destroyed in this project is considered a “national item” under Customs Law because it was seized and stockpiled by the Thai Customs Department. As such, it is exempt from other Thai regulations, including the Hazardous Substance Act B.E. 2535, which indicates in Clause 15 that a specific law (e.g., the Customs Law), takes precedence over the general law and requirements of B.E. 2535.

The lack of a mandate to destroy a “national item” was confirmed in a meeting on April 5, 2022 (reference *Guidelines for the destruction of refrigerants under the supervision of the Customs Department*). Thai Customs and the department of Industrial Works affirmed that no law applicable to Thai Customs required the destruction of refrigerants listed under the Montreal Protocol.

Per the September 8, 2022 letter to WMS titled “*Handling over the refrigerants seized under the Customs Department for destruction at Bangpoo Environmental Complex Co., Ltd*” and issued by Thai Customs Enforcement Division, Customs “can handle the property in dispute under the Customs regulations and referring to the regulations in the chapter of criteria, methods and conditions for the distribution of the property in dispute B.E 2563 (2020).”

A8. PARTIES

Entity	Name	Role/Title	Contact Info	Responsibility
Tradewater LLC	Timothy H. Brown	Chief Executive Officer	1550 W. Carroll, Suite 213 Chicago, IL 60607 Mob. +1 3122735122	Project Proponent
Tradewater LLC	Maria Gutierrez Murray	Senior Director of International Projects.	1550 W. Carroll, Suite 213 Chicago, IL 60607 Mob. +506 83342002	Business development
Waste Management Siam LTD	Sutthida Fakkum	Senior Compliance & EHS Manager	965 Moo 2 Soi 3B Bangpoo Industrial Estate, Sukhumvit Rd Bangpoo Mai, Muang Samutprakarn, Samutprakarn, 10280 Thailand Mob. +66 899201042	Destruction Facility

Tradewater LLC – Project Proponent

Tradewater LLC has operated since 2016 and is a mission-driven company. Tradewater’s subsidiary, Tradewater International SRL, operates around the world in support of Tradewater LLC’s project efforts. Any mention of Tradewater International is self-same as Tradewater LLC.

Tradewater’s aim is to collect and destroy greenhouse gases found around the world while creating economic opportunity. Tradewater as a whole has a goal of eliminating 3 million tons of CO₂ equivalent annually.

Waste Management Siam LTD – Destruction Facility

WMS is located in Bangpoo Environmental Complex (BPEC) and constructively utilizes factory waste to produce steam and electricity advanced clean air technologies, via a Fluidized Bed Incinerator. WMS is part of DOWA Holdings CO, LTD.

A9. AGGREGATION AND PROGRAMMATIC DEVELOPMENT APPROACH

N/A

B. METHODOLOGY

B1. APPROVED METHODOLOGY


The Project uses the Methodology for the Quantification, Monitoring, Reporting and Verification of Greenhouse Gas Emissions Reductions and Removal from the Destruction of Ozone Depleting Substances from International Sources Version 1.0 (hereinafter referred to as “Methodology”).

B2. METHODOLOGY JUSTIFICATION

The Project involves the destruction of ODS refrigerant CFC-12. Thailand does not have a law requiring destruction of refrigerants under the Montreal Protocol nor is there a rule or law requiring government stockpiled ODS refrigerants to be destroyed or converted. Because these refrigerants have been phased out worldwide and there are less impactful substitutes, their destruction will not trigger any additional CFC refrigerant production. Additionally, the Customs Department has kept the material in stockpiles since 2007 and neither this Department nor any other government authority has been able to manage the stockpile due to economic factors.

B3. PROJECT BOUNDARIES

The geographic boundary of the Project is the WMS facility, located at 965 Moo 2 Soi 3B Bangpoo Industrial Estate, Sukhumvit Rd Bangpoo Mai, Muang Samutprakarn, Samutprakarn, 10280 Thailand. The reporting period is October 4, 2023 to November 15, 2023 , and the crediting period is October 4, 2023 to October 3, 2033.



SSRs within the project boundaries are ODS use, Transport to Destruction Facility, and Destruction.

B4. IDENTIFICATION OF GHG SOURCES, SINKS, AND RESERVOIRS

Table 4: Greenhouse Gases and Sources (source: Methodology)			
GHG Source, Sink, or Reservoir (SSR)	Source Description	Gas	Quantification Method
SSR 5. Transport to Destruction Facility	Fossil fuel emissions from the vehicular transport of ODS from aggregation point to final destruction facility.	CO ₂	$Tr\&Dest = (Q_{ODS} \times EF)$
SSR 6. ODS Use	Emissions of ODS from use, leaks, and servicing through continued operation of equipment.	ODS	$BE_{refr} = \sum_i (Q_{ref,i} \times ER_{refr,i} \times GWP_i)$
SSR 6. ODS Use	Emissions of substitute from use, leaks, and servicing through continued operation of equipment.	CO ₂ e	$Sub_{refr} = \sum_i (Q_{ref,i} \times SE_i)$
SSR 7. Destruction	Emissions of ODS from incomplete destruction at destruction facility.	ODS	$Tr\&Dest = (Q_{ODS} \times EF)$
SSR 7. Destruction	Emissions from the oxidation of carbon contained in destroyed ODS.	CO ₂	$Tr\&Dest = (Q_{ODS} \times EF)$
SSR 7. Destruction	Fossil fuel emissions from the destruction of ODS at destruction facility.	CO ₂	$Tr\&Dest = (Q_{ODS} \times EF)$
SSR 7. Destruction	Indirect emissions from the use of grid-delivered electricity.	CO ₂	$Tr\&Dest = (Q_{ODS} \times EF)$

B5. BASELINE SCENARIO

The baseline scenario selected for the project related to ODS refrigerant, in which the following emissions rates are assumed under business-as-usual:

ODS	100 years global warming potential (MT CO ₂ E/MT ODS)	10-year cumulative emission rate (%/10 years)	Substitute Emissions (MT CO ₂ /MT ODS)
CFC-11	4,663	89%	201
CFC-12	10,239	95%	812
CFC-13	13,893	61%	7,569
CFC-113	5,824	89%	219
CFC-114	8,592	78%	660
CFC-115	7,665	61%	1,868

In this Project, the CFC-12 material was originally stored in various locations in Thailand under Customs Department custody and supervision. The material was transferred to WMS and then Tradewater, and finally destroyed at WMS, a local destruction facility. WMS was responsible for the movement of the material from the Customs storage locations to the WMS warehouse at Samutprakarn. As explained below in the “Regulatory Surplus” section, there is no mandate to destroy the ODS refrigerant from the government stockpile.

All ODS sat in deteriorating cylinders with no alternative use. Without particular intended or viable use, these cylinders would remain in storage, where they risked leaking or release into the atmosphere.

B6. WITH-PROJECT SCENARIO

The project scenario is the destruction of CFC-12 which otherwise would remain in storage indefinitely until a management option could be financed.

The project abides with all applicable rules and regulations. The ODS refrigerant in this particular case is subject to the Customs Act, which grants the Customs Department broad authority to manage seized materials as a “national item.” For this reason, the arrangement between the Customs Department and WMS required that the Customs Department supervise the transportation of the ODS refrigerant to WMS, the storage of the ODS refrigerant at WMS, the filling of the ODS refrigerant, and the destruction process.

The ODS will be destroyed in compliance with all relevant and applicable laws and regulations. This includes environmental and health and safety regulations that apply to the WMS facility

B7. GHG EMISSION REDUCTIONS AND REMOVALS

Through this project, greenhouse gas reductions are achieved by preventing the inevitable release of the refrigerant ODS into the atmosphere – either through leakage from degrading systems and storage, or from accidental venting during the movement of the cylinders. The reductions are calculated by baseline emissions minus the project emissions.

B8. PERMANENCE

There is no risk of reversal for this project offsets, as once destroyed the associated GHG reductions are fixed.

C. ADDITIONALITY

C1. PERFORMANCE STANDARD

Refrigerant ODS in a business-as-usual scenario are used only when the existing systems are old enough to still process this type of refrigerant. When this is not the case, ODS refrigerant is either stored in their original disposable containers or in larger containers for possible use or recovered from existing systems in the process of decommissioning or retrofitting, thereby requiring an end-of-life solution. Additionally, the material for this project was seized by Customs Department in or before 2007, and therefore it cannot be used in the commercial sphere. The material is secured in a stockpile because the Thai governmental authorities do not possess the necessary financing to destroy the material. All ODS sources for this project came from Thailand and were destroyed in a destruction facility that meets the Montreal Protocol's TEAP standards provided in the *Report of the Task Force on Destruction Technologies*.

The GWPs of CFC-12 are above, in Table 5. The GHG emissions generated by the project are significantly less than the business-as-usual scenario for all refrigerant types, and the emissions reductions are greater than those in the baseline scenario.

The CFC ODS sourced for this project, along with the project activities, meet the eligibility requirements:

- This material would otherwise eventually be vented into the atmosphere in the business-as-usual scenario.
- The material was destroyed via an eligible destruction facility.
- Point of Origin and Chain of Custody for this material is outlined in the supporting documents.
- Tradewater has monitored the applicable SSRs within the project boundary.
- The emissions have been quantified and align with Chapter 5 of the Methodology, as indicated in section E, and as shown in the Project Assertion Spreadsheet.

C2. REGULATORY SURPLUS TEST

In order to pass the regulatory surplus test, a project must not be mandated by existing laws, regulations, statutes, legal rulings, or other regulatory frameworks in effect as of the start date of the project that directly or indirectly affect the credited offsets.

The ODS refrigerant destroyed in this project is considered a "national item" under Customs Law because it was seized and stockpiled by the Thai Customs Department. As such, it is exempt from other Thai regulations, including the Hazardous Substance Act B.E. 2535, which indicates in Clause 15 that a specific law (e.g., the Customs Law), takes precedence over the general law and requirements of B.E. 2535.

The lack of a mandate to destroy a “national item” was confirmed in a meeting on April 5, 2022 (reference *Guidelines for the destruction of refrigerants under the supervision of the Customs Department*). Thai Customs and the department of Industrial Works affirmed that no law applicable to Thai Customs required the destruction of refrigerants listed under the Montreal Protocol.

Per the September 8, 2022 letter to WMS titled “*Handling over the refrigerants seized under the Customs Department for destruction at Bangpoo Environmental Complex Co., Ltd*” and issued by Thai Customs Enforcement Division, Customs “can handle the property in dispute under the Customs regulations and referring to the regulations in the chapter of criteria, methods and conditions for the distribution of the property in dispute B.E 2563 (2020).”

In conclusion, neither the Customs Act, nor any existing laws, regulations, statutes, legal rulings, or other regulatory frameworks in effect as of July 21, 2023, require the destruction of the ODS refrigerant in this project. Therefore, the project passes the regulatory surplus test.

C4. COMMON PRACTICE TEST

N/A

C5. IMPLEMENTATION BARRIERS TEST

N/A

D. GHG MONITORING PLAN

D1. MONITORED DATA AND PARAMETERS

Parameters in this section, other than the Legal Requirement Test, only include the measured monitoring parameters, tagged as “Measured” within the ACR ODS Methodology table 6.4.

<i>Data or Parameter Monitored</i>	Regulatory Surplus Test
<i>Unit of Measurement</i>	N/A
<i>Description</i>	Emissions reductions achieved through this project and methodology must not be required by any existing law or regulation
<i>Data Source</i>	Thailand Customs Department and The National Ozone Protection Division from the Department of Industrial Works (DIW)
<i>Measurement Methodology</i>	N/A
<i>Data Uncertainty</i>	Low
<i>Monitoring Frequency</i>	Once per project
<i>Reporting Procedure</i>	Review of existing laws around ODS refrigerant management
<i>QA/QC Procedure</i>	Regular review of current laws and regulations surrounding ODS refrigerants, particularly CFCs.
<i>Notes</i>	

<i>Data or Parameter Monitored</i>	Mass of ODS mixture in each container
<i>Unit of Measurement</i>	Kilograms
<i>Description</i>	The total quantity of ODS refrigerant in a container.
<i>Data Source</i>	Manual weight tickets taken pre and post destruction for each individual container
<i>Measurement Methodology</i>	Section 5.1 of Methodology
<i>Data Uncertainty</i>	Low
<i>Monitoring Frequency</i>	Once per project
<i>Reporting Procedure</i>	<p>Gross weight of cylinders using calibrated scale, taken before and after destruction</p> <p>Tradewater received a deviation from the procedure for containers weighed with the transportation vehicle included, when the vehicle utilized is the same when weighing before destruction and after destruction, following the procedure detailed below.</p> <p>Before destruction:</p> <ul style="list-style-type: none"> • Weigh the truck attached to the full ISO tank when arriving to the destruction facility (Inbound weight). • Weigh the truck immediately after detaching the full ISO tank to obtain the tare truck weight (inbound tare weight).

	<p>After destruction:</p> <ul style="list-style-type: none"> • Weigh the truck when it arrives at the destruction facility, immediately before attaching the empty ISO tank to obtain the tare weight (outbound tare weight). • Weigh the truck attached to the empty ISO tank (outbound weight). <p>With this information, the amount of ODS destroyed will be calculated as follows: $ODS\ destroyed = (Inbound\ weight - inbound\ tare\ weight) - (outbound\ weight - outbound\ tare\ weight)$.</p>
<i>QA/QC Procedure</i>	Scale calibrations, CEMs data confirms destruction parameter throughout process
<i>Notes</i>	

<i>Data or Parameter Monitored</i>	Concentration of ODS mixture in each container
<i>Unit of Measurement</i>	Percent
<i>Description</i>	The distribution of ODS refrigerant in each container (along with any other contaminants, moisture, or HBR)
<i>Data Source</i>	Sample data via lab analysis provided by an ISO 17025 certified third-party laboratory.
<i>Measurement Methodology</i>	Appendix C of the Methodology
<i>Data Uncertainty</i>	Low
<i>Monitoring Frequency</i>	Once per project
<i>Reporting Procedure</i>	Lab Analysis Report
<i>QA/QC Procedure</i>	Composition and concentration are analyzed at an ISO 17025-certified laboratory that is not affiliated with the project proponent using the AHRI Standard 700.
<i>Notes</i>	

<i>Data or Parameter Monitored</i>	$Q_{refr,i}$
<i>Unit of Measurement</i>	MT
<i>Description</i>	The total weight of ODS refrigerant sent for destruction (baseline).
<i>Data Source</i>	Weight tickets taken both pre- and post-destruction coupled with lab analysis
<i>Measurement Methodology</i>	Section 5.1 of Methodology
<i>Data Uncertainty</i>	Low
<i>Monitoring Frequency</i>	Once per project
<i>Reporting Procedure</i>	<p>Gross weight of cylinders using calibrated scale, taken before and after destruction</p> <p>Tradewater received a deviation from the procedure for containers weighed with the transportation vehicle included, when the vehicle utilized is the same when weighing before destruction and after destruction, following the procedure detailed below.</p> <p>Before destruction:</p> <ul style="list-style-type: none"> • Weigh the truck attached to the full ISO tank when arriving to the destruction facility (Inbound weight). • Weigh the truck immediately after detaching the full ISO tank to obtain the tare truck weight (inbound tare weight). <p>After destruction:</p> <ul style="list-style-type: none"> • Weigh the truck when it arrives at the destruction facility, immediately before attaching the empty ISO tank to obtain the tare weight (outbound tare weight). • Weigh the truck attached to the empty ISO tank (outbound weight). <p>With this information, the amount of ODS destroyed will be calculated as follows: $ODS\ destroyed = (Inbound\ weight - inbound\ tare\ weight) - (outbound\ weight - outbound\ tare\ weight)$.</p>
<i>QA/QC Procedure</i>	Scale calibrations; CEMs data confirms destruction; lab analysis confirms mass percentage and identification of ODS refrigerant
<i>Notes</i>	

<i>Data or Parameter Monitored</i>	Q_{ODS}
<i>Unit of Measurement</i>	MT
<i>Description</i>	The total quantity of ODS refrigerant (including HBR, moisture, etc.) transported to the destruction facility.

<i>Data Source</i>	Weight tickets taken both pre- and post-destruction coupled with lab analysis and quantifications
<i>Measurement Methodology</i>	Section 5.2 of Methodology
<i>Data Uncertainty</i>	Low
<i>Monitoring Frequency</i>	Once per project
<i>Reporting Procedure</i>	Net weight of cylinders using calibrated scale; lab analysis
<i>QA/QC Procedure</i>	Scale calibrations; CEMs data confirms destruction; lab analysis confirms mass percentage and identification of ODS refrigerant
<i>Notes</i>	

E. GHG QUANTIFICATION

E1. BASELINE SCENARIO

The baseline emissions are approximately 172,205 tCO₂eq. For details, please see Appendix F: Assertion Quantification.

$$BE_{refr} = \sum_i (Q_{ref,i} \times ER_{refr,i} \times GWP_i)$$

Where		Units
<i>BE_{refr}</i>	Total quantity of refrigerant project baseline emissions during the reporting period	MT CO ₂ e
<i>Q_{ref,i}</i>	Total quantity of refrigerant ODS sent for destruction by the offset project	MT ODS
<i>ER_{refr,i}</i>	10-year cumulative emission rate of refrigerant ODS	%
<i>GWP_i</i>	Global warming potential of ODS	MT CO ₂ e / MT ODS

E2. AFOLU PROJECT INVENTORY

N/A

E3. WITH-PROJECT SCENARIO

The project emissions are approximately 14,514 tCO₂eq. For details, please see Appendix F: Assertion Quantification.

Total Project Emissions

$$PE_t = Sub_{refr} + Tr\&Dest$$

Where		Units
<i>PE_T</i>	Total quantity of project emissions during the reporting period	MT CO ₂ e
<i>Sub_{refr}</i>	Total GHG emissions from substitute refrigerant	MT CO ₂ e
<i>Tr&Dest</i>	Total GHG emissions from transportation and destruction of ODS	MT CO ₂ e

Project Emissions from the Use of Non-ODS Refrigerants

$$Sub_{refr} = \sum_i (Q_{ref,i} \times SE_i)$$

Where		Units
<i>Sub_{refr}</i>	Total quantity of refrigerant substitute emissions	MT CO ₂ e
<i>Q_{ref,i}</i>	Total quantity of refrigerant <i>i</i> sent for destruction	MT ODS
<i>SE_i</i>	Emission factor for substitute(s) for refrigerant <i>i</i> , per Table 3	MT CO ₂ e/ MT ODS destroyed

Project emissions from Transportation and Destruction using the Default Emissions Factors

$$Tr\&Dest = (Q_{ODS} \times EF)$$

Where		Units
<i>Tr&Dest</i>	Total GHG emissions from ODS transportation and destruction, as calculated using default emissions factors.	MT CO ₂ e
<i>Q_{ODS}</i>	Total quantity of ODS sent for destruction in project.	MT ODS
<i>EF</i>	Default emission factor for transportation and destruction of ODS (7.5)	MT CO ₂ e/ MT ODS

E4. LEAKAGE

As defined by the ACR Standard V 8.0, leakage is a term that refers to secondary effects where the GHG emissions reductions of a project may be negated by shifts in market activity or shifts in materials, infrastructure, or physical assets associated with the project. Projects involving the destruction of CFC refrigerant would not encourage the increase of CFC production. Therefore, for this Methodology, “leakage” is not applicable.

E5. UNCERTAINTY

Calculating uncertainty is not applicable because the methodology as written does not require statistical sampling, nor is it a requirement within the quantifications.

E6. QUALITY ASSURANCE AND QUALITY CONTROL (QA/QC)

Description of GHG management system

The destruction facility, WMS, has a retention policy up to lifetime of facility. All documents are stored physically and digitally backed-up. The project proponent, Tradewater LLC, has a retention policy of 15 years. Documents are stored in third party cloud system that is backed up on a regular basis, with hard copies saved on-site wherever possible. WMS facility monitors and registers the relevant parameters in their CEMS data system in real time and these are collected every hour. Pressure and flow rate are monitored continuously on a separate stage of the furnace for gaseous substances such as ODS and collected every half hour. Personnel on-site live monitors all incineration activities to prevent errors, exceedances, or other impacts to the project.

Calibration procedures and frequency of calibration.

The scales used to determine the mass of ODS is calibrated periodically by a third party, with a requirement by the Thai government for recalibrations every two years and a calibration is done quarterly by third party. The most recent calibration performed on September 29, 2024 is included in the documentation.

Internal audit and quality assurance/quality control procedures.

WMS undergoes annual procedure reviews and required readings. Qualified technicians are constantly monitoring the emissions levels during burns. The destruction facility is regulated by the Industrial Estate Authority of Thailand (IEAT). Tradewater LLC reviews all paperwork to ensure that it satisfies protocol requirements.

E7. GHG EMISSION REDUCTIONS AND REMOVALS

The emission reductions are 157,691 tCO₂e. The project emissions are quantified using the below equation indicated in the Methodology. For details, please see Appendix F: Assertion Quantification.

$$ER_t = BE_t - PE_t$$

Where		Units
<i>ER_t</i>	Total quantity of GHG emission reduction the reporting period	MT CO ₂ e
<i>BE_t</i>	Total quantity of project baseline emissions during the reporting period	MT CO ₂ e
<i>PE_t</i>	Total quantity of project emissions during the reporting period	MT CO ₂ e

E8. *EX ANTE* CARBON CREDIT PROJECTION

Ex-ante estimation methods are not applicable to this methodology, as the emissions reductions for the 10-year crediting period are determined in the first reporting period.

E9. *EX ANTE* ESTIMATION METHODS

Ex-ante estimation methods are not applicable to this methodology, as the emissions reductions for the 10-year crediting period are determined in the first reporting period.

F. ENVIRONMENTAL AND SOCIAL IMPACTS

F1. ENVIRONMENTAL AND SOCIAL IMPACT SUMMARY

Tradewater is unaware of any potential negative environmental or socio-economic impacts from this Project. Thailand is part of the 1993 Montreal Protocol and has been engaged in efforts to eliminate substances that affect the ozone layer in recent years. Since there is currently no financial and logistical infrastructure to responsibly manage and destroy ODS in Thailand, the Tradewater project creates a solution to this problem.

The net positive impacts from the project include the reduction of inevitable emissions of stockpiled CFC refrigerants via leaks, testing, and accidental venting, or from container degradation. This destruction will not trigger any additional production due to the complete phase-out of CFCs worldwide. The project further encourages innovation and development of more sustainable refrigeration and cooling technologies, as well as encouraging the entire sector to develop technologies that are more responsible and aligned with climate goals. Finally, the emissions reductions resulting from this project help to achieve climate goals by eliminating additional contributors to climate change and global warming.

F2. SUSTAINABLE DEVELOPMENT GOALS

Direct positive impact: The Project has direct positive impact to United Nations sustainable development goals (SDG) 9 (Industry innovation and infrastructure), 12 (Responsible Consumption and Production), and 13 (Climate Action).

- **SDG 9.4** *By 2030, upgrade infrastructure and retrofit industries to make them sustainable, with increased resource-use efficiency and greater adoption of clean and environmentally sound technologies and industrial processes, with all countries taking action in accordance with their respective capabilities.*

This project works in support of the Montreal Protocol, which promotes sustainable industrialization by upgrading industries through the transfer of clean and environmentally sound technologies that allow for the phase-out of ODS and higher-GHG fuels while increasing resource-use efficiency. Innovation is required to replace the refrigerants with less harmful, yet equally as effective, alternative to meet the needs of cooling, refrigeration, and climate-controlled transport throughout the world.

- **SDG 12.4** *By 2020, achieve the environmentally sound management of chemicals and all wastes throughout their life cycle, in accordance with agreed international frameworks, and significantly reduce their release to air, water and soil in order to minimize their adverse impacts on human health and the environment.*

The Project supports the collection and destruction of one of the most powerful greenhouse gases in the world, paving the way to the development and use of safer and more environmentally friendly alternatives.

- **SDG 13.2** *Integrate climate change measures into national policies, strategies, and planning.*

The phase-out to date of most ODS has not only led to the regeneration of the ozone layer but also to significant reductions in greenhouse gas emissions (GHG), as most ODS are also powerful GHGs. Tradewater has the objective to prevent the release of ODS gases into the atmosphere.

By identifying, collecting, managing, and destroying refrigerant gases in an appropriate manner, Tradewater aims to prevent ozone depletion, negative environmental impacts, and climate change.

Indirect Positive Impact: The Project has indirect positive impact to United Nations sustainable development goals (SDG) 3 (Good health), 14 (Life Below Water), and 15 (Life on land).

- **SDG 3.9** *By 2030, substantially reduce the number of deaths and illnesses from hazardous chemicals and air, water and soil pollution and contamination.*

Ozone layer depletion allows more UV radiation to reach the earth's surface, a contributing factor to melanoma skin cancer. Increases in UV radiation also cause other health concerns, including eye damage (e.g., cataracts), suppression of the immune system and premature skin aging. The destruction of ODS before it leaks contributes to reducing the number of deaths and illnesses from a thinning ozone layer.

- **SDG 14.1** *By 2025, prevent and significantly reduce marine pollution of all kinds, in particular from land-based activities, including marine debris and nutrient pollution.*

The destruction of ODS protects the bodies of water and its species as the thinning of the ozone layer increases the UVB radiation, which can have negative in survival rate, early developmental stages, and population numbers in different marine species.

- **SDG 15.1** *By 2020, ensure the conservation, restoration and sustainable use of terrestrial and inland freshwater ecosystems and their services, in particular forests, wetlands, mountains and drylands, in line with obligations under international agreements.*

As Ozone Depleting Substances are potent greenhouse gases, their destruction contributes to climate change mitigation efforts as it avoids these gases to leak to the atmosphere, and as they prevents the thinning of the ozone layer it also protects the terrestrial biosphere and its capacity as carbon sink.

F3. STAKEHOLDER COMMENTS AND CONSULTATION

As per ACR Standard version 8.0, the project was subjected to a 30-day public comment period. No comments were received by any stakeholders or by ACR

G. OWNERSHIP AND TITLE

G1. PROOF OF TITLE

Tradewater LLC is the Project Proponent. Tradewater LLC possesses the title and rights to all refrigerants destroyed under this Project, which is demonstrated by the transfer of ownership documentation, signed Consolidation Report or other similar documentation. As such, the rights and title to all carbon offset credits created by this Project belong to Tradewater LLC. Waste Management Siam LTD (WMS) had original custody of the ODS material, which was acquired from the Thai Customs Department, and then transferred ownership to Tradewater. For details, please see Appendix C.

G2. CHAIN OF CUSTODY

The offsets have not been bought or sold previously, and the project does not have a forward option contract.

G3. PRIOR APPLICATION

The project has not applied to any other Voluntary Carbon program.

H. PROJECT TIMELINE

H1. START DATE

The Project start date is October 4, 2023, the date on which the earliest destruction activity of the project commenced. The Project start date determination is consistent with the ACR Standard and Methodology.

H2. PROJECT TIMELINE

Relevant Project Activities	Timeline
Project Listed/Initiation of Project Activities	October 4, 2023
Project Term	N/A
Crediting Period	October 4, 2023 – October 3, 2033
Reporting Period	October 4, 2023 - November 15, 2023
Frequency of Monitoring, Reporting, and Verification	Once per reporting period


Appendices

List all appendices referenced throughout the GHG Project Plan in the table below, omitting and providing additional rows as needed. Appendices not provided under separate cover must be included within this document. For submission of the final versions of appendices provided under separate cover, provide exact filenames including the correct version and/or date. Where relevant to the project, the appendices marked with an asterisk (*) must be submitted on the ACR Registry, denoted as a GHG Project Plan document type, and maintained as public. All appendices are subject to validation.

Appendix	Document Title	Provided under separate cover? (Yes/No)	Filename <i>if provided under separate cover</i>
A	Environmental and Social Impact Assessment*	Yes	ACR937_EnvironmentalAssesment_v2.0.
B	SDG Contributions Report*	Yes	ACR937_SDGContribution_v2.0.
C	Proof of Title	No	
D	Chain of Custody	No	
E	Certificate of Destruction	No	
F	Quantification Assertion	No	

Attestations

The Account Holder hereby represents and warrants to the American Carbon Registry, its affiliates and supporting organizations, and any assignee of substantially all of the assets comprising the ACR, that all information contained herein and in all appendices is true, correct, and complete to the best of their knowledge, information, and belief and they further agree to notify ACR promptly in the event that the Account Holder becomes aware that any representation or warranty set forth above or in any appendix submitted under separate cover was not true when made.

Account Holder Signature:	
Account Holder Representative (Account Manager or designee) Signature:	X 
Name:	Timothy H. Brown
Title:	Chief Executive Officer
Organization:	Tradewater LLC
Date:	February 13, 2024

Appendix C: Proof of Title

Transfer of Ownership from WMS to Tradewater International

Waste Management Siam Company Limited (“WMS”) is the owner of the refrigerant gas containers identified below, which are currently located at the storage facility belonging to Bangpoo Environmental Complex Co., Ltd. (BPEC), and operated by WMS, which is situated at 884/3 Moo 7 Tambon Bangpoo Mai, Muang Samutprakarn District, Samutprakarn 10280, Thailand (“Refrigerant”).

WMS obtained ownership of the Refrigerant through a Transfer of Ownership of Refrigerant Gas Containers Under the Supervision of Thai Customs executed between WMS and the Customs Department of Thailand, and an accompanying Delivery Manifest.

Delivery Manifest Date	Source Location	Truck Manifests numbers	Refrigerant Type	Total Number of Cylinders
September 14, 2022	Investigation and suppression Bureau, Customs Department	557309, 557296	R 12	552
			R 22	48
September 21, 2022	Investigation and suppression Bureau, Customs Department	557602, 557590	R 134a	600
September 22, 2022	Investigation and suppression Bureau, Customs Department	557618	R 12	400
September 23, 2022	Investigation and suppression Bureau, Customs Department	557657	R 12	375
			R 134 a	15
		557683	R 12	370
			R 134 a	40

WMS owns the Refrigerant free and clear of all encumbrances, and WMS’s ownership includes all rights, title and interests in the Refrigerant, and expressly includes the legal title to and all beneficial ownership rights in the following: (i) any removal, limitation, reduction, avoidance, sequestration or mitigation of any greenhouse gas arising from or relating to the destruction of the materials, including any carbon credits, allowances,

certificate or registrable right however denominated, and (ii) any right, interest, entitlement, benefit, or allowance to emit (present or future) arising from or associated with any of the foregoing (the “**Ownership Interests**”).

By signing below, WMS hereby transfers to Tradewater International SRL (“**Tradewater International**”), and Tradewater International hereby accepts from WMS, all Ownership Interests in the Refrigerant.

This Transfer of Ownership Interests is effective on September 26th 2022.

**Waste Management Siam
Company Limited**

Signature



Name Poonsak Chanchampee, Dr.-Ing.

Title Senior Director EHS &
Environmental Services Development

Date 3 Nov 2022

Tradewater International SRL

Signature



Name Maria Jose Gutierrez Murray

Title Senior Director of International Programs

Date 31 oct 2022

Transfer of Ownership from WMS to Tradewater International

Waste Management Siam Company Limited (“WMS”) is the owner of the refrigerant gas containers identified below, which are currently located at the storage facility belonging to Bangpoo Environmental Complex Co., Ltd. (BPEC), and operated by WMS, which is situated at 884/3 Moo 7 Tambon Bangpoo Mai, Muang Samutprakarn District, Samutprakarn 10280, Thailand (“Refrigerant”).

WMS obtained ownership of the Refrigerant through a Transfer of Ownership of Refrigerant Gas Containers Under the Supervision of Thai Customs executed between WMS and the Customs Department of Thailand, and an accompanying Delivery Manifest.

Delivery Manifest Date	Source Location	Truck Manifest Number(s)	Refrigerant Type	Total Number of Cylinders
September 27, 2022	Investigation and suppression Bureau, Customs Department	557845	R 12	440
		557806	R 12	400
September 28, 2022	Investigation and suppression Bureau, Customs Department	557862	R 12	440
		557877	R 12	193
September 30, 2022	Bangkok Custom Office - Bangsaothong	557929	R 134 a	400
		557960	R 134a	100
			R 12	300
October 3, 2022	Bangkok Custom Office - Bangsaothong	558016	R 12	320
		558035	R 12	280

WMS owns the Refrigerant free and clear of all encumbrances, and WMS’s ownership includes all rights, title and interests in the Refrigerant, and expressly includes the legal title to and all beneficial ownership rights in the following: (i) any removal, limitation, reduction, avoidance, sequestration or mitigation of any greenhouse gas arising from or relating to the destruction of the materials, including any carbon credits, allowances, certificate or registrable right however denominated, and (ii) any right, interest, entitlement, benefit, or allowance to emit (present or future) arising from or associated with any of the foregoing (the “Ownership Interests”).

m/g

By signing below, WMS hereby transfers to Tradewater International SRL (“**Tradewater International**”), and Tradewater International hereby accepts from WMS, all Ownership Interests in the Refrigerant.

This Transfer of Ownership Interests is effective on October 3, 2022.

Waste Management Siam Company Limited Tradewater International SRL

Signature 

Name Poonsak Chanchampee, Dr.-Ing

Title Senior Director EHS &
Environmental Services Development

Date 3 Nov 2022

Signature 

Name María José Gutiérrez Murray

Title Senior Director of International Programs

Date 31 oct 2022

Transfer of Ownership from WMS to Tradewater International

Waste Management Siam Company Limited (“**WMS**”) is the owner of the refrigerant gas containers identified below, which are currently located at the storage facility belonging to Bangpoo Environmental Complex Co., Ltd. (BPEC), and operated by WMS, which is situated at 884/3 Moo 7 Tambon Bangpoo Mai, Muang Samutprakarn District, Samutprakarn 10280, Thailand (“**Refrigerant**”).

WMS obtained ownership of the Refrigerant through a Transfer of Ownership of Refrigerant Gas Containers Under the Supervision of Thai Customs executed between WMS and the Customs Department of Thailand, and an accompanying Delivery Manifest.

Delivery Manifest Date	Source Location	Delivery Manifest Number(s)	Refrigerant Type	Total Number of Cylinders
October 10, 2022	Bangkok Port Customs House	558342	R 12	840
October 11, 2022	Bangkok Port Customs House	558367	R 12	818
			R 22	6
October 12, 2022	Bangkok Port Customs House	558396	R 12	475
October 17, 2022	Bangkok Port Customs House	558565	R 12	847

WMS owns the Refrigerant free and clear of all encumbrances, and WMS’s ownership includes all rights, title and interests in the Refrigerant, and expressly includes the legal title to and all beneficial ownership rights in the following: (i) any removal, limitation, reduction, avoidance, sequestration or mitigation of any greenhouse gas arising from or relating to the destruction of the materials, including any carbon credits, allowances, certificate or registrable right however denominated, and (ii) any right, interest, entitlement, benefit, or allowance to emit (present or future) arising from or associated with any of the foregoing (the “**Ownership Interests**”).

By signing below, WMS hereby transfers to Tradewater International SRL (“**Tradewater International**”), and Tradewater International hereby accepts from WMS, all Ownership Interests in the Refrigerant.

This transfer of Ownership Interests is effective on October 17th, 2022.

Waste Management Siam Company Limited

Tradewater International SRL

Signature



Signature



Name Mr. Poonsak Chanchampee

Name María José Gutiérrez Murray

Title Director

Title Senior Director of International Programs

Date 17 Dec 2022

Date 17 Dec 2022

Transfer of Ownership from WMS to Tradewater International

Waste Management Siam Company Limited (“WMS”) is the owner of the refrigerant gas containers identified below, which are currently located at the storage facility belonging to Bangpoo Environmental Complex Co., Ltd. (BPEC), and operated by WMS, which is situated at 884/3 Moo 7 Tambon Bangpoo Mai, Muang Samutprakarn District, Samutprakarn 10280, Thailand (“Refrigerant”).

WMS obtained ownership of the Refrigerant through a Transfer of Ownership of Refrigerant Gas Containers Under the Supervision of Thai Customs executed between WMS and the Customs Department of Thailand, and an accompanying Delivery Manifest.

Delivery Manifest Date	Source Location	Delivery Manifest Number(s)	Refrigerant Type	Total Number of Cylinders
October 18, 2022	Hatyai Airport Customs House	569561	R 12	8
			R 134 A	7
October 19, 2022	Ban Don Customs House	569566	R 12	5
			R 134 A	1
October 20, 2022	Satun Customs House	569565	R 12	31
October 21, 2022	Padangbesar Customs House	569564	R 12	30
			R 134 A	2
October 21, 2022	Aranyaprathet Customs House	558772	R 12	846

WMS owns the Refrigerant free and clear of all encumbrances, and WMS’s ownership includes all rights, title and interests in the Refrigerant, and expressly includes the legal title to and all beneficial ownership rights in the following: (i) any removal, limitation, reduction, avoidance, sequestration or mitigation of any greenhouse gas arising from or relating to the destruction of the materials, including any carbon credits, allowances, certificate or registrable right however denominated, and (ii) any right, interest, entitlement, benefit, or allowance to emit (present or future) arising from or associated with any of the foregoing (the “Ownership Interests”).

PL

By signing below, WMS hereby transfers to Tradewater International SRL (“Tradewater International”), and Tradewater International hereby accepts from WMS, all Ownership Interests in the Refrigerant.

This transfer of Ownership Interests is effective on October 21st, 2022.

Waste Management Siam Company Limited **Tradewater International SRL**

Signature 

Signature 

Name Mr. Poonsak Chanchampee

Name María José Gutiérrez Murray

Title Director

Title Senior Director of International Programs

Date 17 Dec 2022

Date 17 Dec 2022

Transfer of Ownership from WMS to Tradewater International

Waste Management Siam Company Limited (“WMS”) is the owner of the refrigerant gas containers identified below, which are currently located at the storage facility belonging to Bangpoo Environmental Complex Co., Ltd. (BPEC), and operated by WMS, which is situated at 884/3 Moo 7 Tambon Bangpoo Mai, Muang Samutprakarn District, Samutprakarn 10280, Thailand (“Refrigerant”).

WMS obtained ownership of the Refrigerant through a Transfer of Ownership of Refrigerant Gas Containers Under the Supervision of Thai Customs executed between WMS and the Customs Department of Thailand, and an accompanying Delivery Manifest.

Delivery Manifest Date	Source Location	Delivery Manifest Number(s)	Refrigerant Type	Total Number of Cylinders
October 26, 2022	Chongmeg Customs House	558993	R 12	5
October 27, 2022	Mukdahan Customs House	558994	R 12	283

WMS owns the Refrigerant free and clear of all encumbrances, and WMS’s ownership includes all rights, title and interests in the Refrigerant, and expressly includes the legal title to and all beneficial ownership rights in the following: (i) any removal, limitation, reduction, avoidance, sequestration or mitigation of any greenhouse gas arising from or relating to the destruction of the materials, including any carbon credits, allowances, certificate or registrable right however denominated, and (ii) any right, interest, entitlement, benefit, or allowance to emit (present or future) arising from or associated with any of the foregoing (the “Ownership Interests”).

By signing below, WMS hereby transfers to Tradewater International SRL (“Tradewater International”), and Tradewater International hereby accepts from WMS, all Ownership Interests in the Refrigerant.

This transfer of Ownership Interests is effective on October 27th, 2022.

Waste Management Siam Company Limited **Tradewater International SRL**

Signature



Signature



Name Mr. Poonsak Chanchampee

Name María José Gutiérrez Murray

Title Director

Title Senior Director of International Programs

Date 17 Dec 2022

Date 17 Dec 2022

Transfer of Ownership from WMS to Tradewater International

Waste Management Siam Company Limited (“WMS”) is the owner of the refrigerant gas containers identified below, which are currently located at the storage facility belonging to Bangpoo Environmental Complex Co., Ltd. (BPEC), and operated by WMS, which is situated at 884/3 Moo 7 Tambon Bangpoo Mai, Muang Samutprakarn District, Samutprakarn 10280, Thailand (“Refrigerant”).

WMS obtained ownership of the Refrigerant through a Transfer of Ownership of Refrigerant Gas Containers Under the Supervision of Thai Customs executed between WMS and the Customs Department of Thailand, and an accompanying Delivery Manifest.

Delivery Manifest Date	Source Location	Delivery Manifest Number(s)	Refrigerant Type	Total Number of Cylinders
November 3, 2022	Chiangkhong Customs House	559296	R 12	217
November 7, 2022	Prajuabkirikhan Customs House	559515	R 12	156
November 14, 2022	Investigation and suppression Bureau, Customs Department	559821	R 12	12
November 14, 2022	Bangkok Port, Customs Office	559821	R 12	4

WMS owns the Refrigerant free and clear of all encumbrances, and WMS’s ownership includes all rights, title and interests in the Refrigerant, and expressly includes the legal title to and all beneficial ownership rights in the following: (i) any removal, limitation, reduction, avoidance, sequestration or mitigation of any greenhouse gas arising from or relating to the destruction of the materials, including any carbon credits, allowances, certificate or registrable right however denominated, and (ii) any right, interest, entitlement, benefit, or allowance to emit (present or future) arising from or associated with any of the foregoing (the “Ownership Interests”).


By signing below, WMS hereby transfers to Tradewater International SRL (“Tradewater International”), and Tradewater International hereby accepts from WMS, all Ownership Interests in the Refrigerant.

This transfer of Ownership Interests is effective on November 14th, 2022.

PC. 

Waste Management Siam Company Limited

Signature



Name Mr. Poonsak Chanchampee

Title Director

Date 17 Dec 2022

Tradewater International SRL

Signature




Name María José Gutiérrez Murray

Title Senior Director of International Programs

Date 17 Dec 2022

Appendix D Chain of Custody



Appendix E: Certificate of destruction

Certificate of Destruction

Project Information

Destruction Facility

WMS

Project Proponent

Tradewater LLC

Address

1550 W Carroll Ave. STE
213
Chicago, IL 60607

Certificate ID BP 006

ISO tank ID number ISO # 6

Feed Tank Serial Number BNFU6221074

The following quantity of Ozone Depleting Substances was destroyed:

<i>Destruction Start Date and Time</i>	October, 4, 2023 (14:00)	<i>Starting Batch Weight</i>	30260 kg
<i>Destruction End Date and Time</i>	November, 15, 2023 (6:00)	<i>Final Batch Weight</i>	11790 kg
		<i>Total Weight Destroyed</i>	18470 kg

The sample was analyzed by *Bureau Veritas* to quantify the amount of each compound present. The sample contains:

Compound	Percent Composition (%)
R-12	95.9%
R-134a	4.10%
R-11	<0.1%
R-22	<0.1%



WMS Representative

Mr. Arpakon Prompet

Title Environmental Supervisor

Date 17 Nov 2023

Appendix E: Emissions Quantification Assertion

Reference Values Obtained from ODS Protocol for CFC-12, CFC-11, CFC-113, CFC-114, CFC-115

		CFC-12	CFC-11	CFC-13	CFC-113	CFC-114	CFC-115	
CFC-12 10-Year Cumulative Emissions Rate (%/10 Years)	ER	95%	89%	61%	89%	78%	61%	
Refrigerant Substitute Emissions Factor (tCO ₂ e/tODS)	SE	812	201	7569	219	660	1868	
Global Warming Potential (tCO ₂ e/tODS)	GWP	10239	4663	13893	5824	8592	7665	
Default Emission Factor for Transportation and Destruction of ODS (tCO ₂ e/tODS)	EF	7.5					Sec. 5.2.3	

	Refrigerant Type	Measured Values		Gross Quantity of Refrigerant Destroyed (kg)	Moisture Reduction	High Boiling Residue Reduction	Total Eligible Refrigerant Destroyed (kg)	Quantity of Refrigerant Destroyed (metric tonnes)	GHG Emissions from Substitute Refrigerants	Quantity of ODS Transported to Destruction Facility	Transportation and Destruction Default Emissions Factor (tCO ₂ e)	Total Project Emissions (tCO ₂ e)	Total Project Baseline Emissions (tCO ₂ e)	Total GHG Emissions Reductions (tCO ₂ e)
		Mass of ODS in COD in kg	Concentration of ODS in Tranche											
		m	c	Q _g	mr	hbr	Q	Q _{ref}	Sub _{ref}	Q _t	Def	PE	BE _{ref}	ER
				Q _g = m x c			Q = Q _g - (Q _g x mr) (Q _g x hbr)	Q _{ref} = Q x .45359/1000	Sub _{ref} = Q _{ref} x SE		Def = Q _t x EF	PE = Sub _{ref} + Def	BE _{ref} = Q _{ref} x ER x GWP	ER = BE _{ref} - PE
BNFU6221074	CFC-12		95.90%	17712.73			17703.80	17.70	14375.49				172205	
BNFU6221074	CFC-11		0.00%	0.00			0.00	0.00	0.00				0	
BNFU6221074	CFC-13	18470.0	0.00%	0.00	0.000004	0.00050	0.00	0.00	0.00	18.47000	138.53	14514	0	157691.76
BNFU6221074	CFC-113		0.00%	0.00			0.00	0.00	0.00				0	
BNFU6221074	CFC-114		0.00%	0.00			0.00	0.00	0.00				0	
BNFU6221074	CFC-115		0.00%	0.00			0.00	0.00	0.00				0	